

A Review of Energy-Saving Home Applications: Innovation Opportunity Applying with User-Centered Design Principles

Sarunporn Tongsubanan^{1,*} and Kittichai Kasemsarn²

ARTICLE INFO

Article history: Received: 18 January 2023 Revised: 26 May 2023 Accepted: 06 July 2023

Keywords:

Application User-centered design (UCD) User experience design (UX) User interface design (UI) Energy data, Home

1. INTRODUCTION

The usage and energy demand of residential energy have experienced an exponential increase since the inception of modern society. Over the past decade, numerous studies have endeavored to tackle this matter by concentrating on the reduction of domestic energy loads, which have an influence on total energy consumption. [1-3]. Reducing household energy consumption can be accomplished through behavioral changes, appliance monitoring, and the implementation of energy-saving recommendations. These techniques for home energy conservation are part of creating an energy-saving home or smart home [3-4]. This concept can identify, detect, and monitor energy used by appliances. Users can then check on activities in the smart home environment through applications or websites [3-5]. For example, if a user inadvertently leaves certain appliances running, the smart home application will detect this and prompt the user to switch them off. Moreover, the smart home application can identify which appliances consume and increase energy loads and present recommendations for users [6-7].

However, research shows that smart home applications present several issues, including: 1) they are difficult to understand, 2) they are not user-friendly for everyone, especially older adults, and 3) they have a poor graphic design [8-11]. In 2018, researchers developed a computer program known as COMET_61 (a computer program to test the benchmark of homes' energy efficiency in Thailand) with the purpose of gathering data to validate that the energy

$A\,B\,S\,T\,R\,A\,C\,T$

This systematic review article encompasses 515 publications and screens narrowed down to 97 articles by the criteria of inclusion and exclusion. It concludes that three main problems exist for energy-saving home applications: 1) experts and non-experts do not understand the energy efficient home data presented, 2) they are not designed for middle-aged and elderly users, and 3) the graphic communication is difficult to understand. Therefore, the aim of this article is to outline the issues, research gaps, and guidelines pertaining to the development of energy-saving home applications that are accessible, usable, understandable, and desirable for all users. Related review articles were analyzed by researching the correlation of three variables: application, user-centered design (UCD), and energy data. In summary, user experience, user interface, and UCD are recommended to optimize the design of accessible energy-saving home applications.

consumption of homes in Thailand was commensurate with the established benchmark [12].

Subsequently, each of the three evaluation and training sessions achieved a remarkable degree of effectiveness. However, the programs were criticized by both technical experts and non-specialists for their complexity, with interfaces, point displays, data, and graphics proving to be perplexing. [12]. These issues are similar to results from the world-wide studies mentioned earlier. Hence, this review article endeavors to conduct a comprehensive examination of the challenges, research deficiencies, and prospects associated with the advancement of smart home or energyrelated applications, focusing on three key variables: application, user-centered design (UCD), and energy data.

The structure of this article is arranged as follows: Section 2 provides a concise overview of the methodology, outlining the criteria for inclusion and exclusion. Section 3 discusses research gaps by searching for and paring two variables to check trends and opportunities. In Section 4, the researchers elucidate opportunities for applying user experience (UX) and user interface (UI) design, and UCD principles for energy-saving home applications are discussed in Section 5. Finally, the researchers conclude the article and present guidelines in Section 6.

2. METHODS

The researchers employed a systematic literature review method following the guidelines outlined by PRISMA (Preferred Reporting Items for Systematic Reviews and

¹School of Architecture, Art, and Design, King Mongkut's Institute of Technology Ladkrabang ,Bangkok, Thailand

^{*}Corresponding author: Sarunporn Tongsubanan; Phone: +87-5426472; Email: sarunporn.tong@gmail.com.

Meta-Analyses). [13] by searching the keywords "Application," "User Experience," "User Interface," and "Home/Smart Home/Home Energy" in the database ScienceDirect. The search terms were used with the title, abstract, keywords, and established criteria for inclusion and exclusion, as presented in Table 1.

Table 1. Inclusion and exclusion criteria(Source: Own elaboration)

Inclusion	Exclusion
Article or review indexed in ScienceDirect	The inclusion criteria encompassed books, book chapters, conference reports, and proceedings papers.
Publications in English	Publications in languages other than English were included in the review process.
Search terms: Title, abstract, and keywords	
Publication in the 2013–2022 period	
Keywords: "Application" "User Experience" "User Interface" "Home/Smart Home/Home Energy"	

Using the keywords, researchers identified 515 studies in ScienceDirect during their initial search. Following that, researchers defined the time frame as 2013–2022 and identified 201 studies. Then, the inclusion criteria for this review were refined to comprise only review articles. As a result, the overall quantity of studies was reduced to 97, as illustrated in Figure 1. The annual enumeration of the studies was provided in Table 2 and Figure 1. Table 3 lists the studies that have been cited the most frequently (SLR analysis).

Table 2	Distribution	of articles	by years
---------	--------------	-------------	----------

Inclusion	Exclusion
2022	20
2021	18
2020	13
2019	21
2018	10
2017	4
2016	3
2015	3
2014	3
2013	2

Table 3. Top 10 cited publications(Source: Own elaboration)

No	Authors	Title	Total Citation
1	Terence K. L. Hui, R. Simon Sherratt, Daniel Díaz Sánchez [8]	"Major requirements for building smart homes in smart cities based on Internet of Things technologies" - Future Generation Computer Systems (2017)	327
2	Debajyoti Pal, Vajirasak Vanijja [14]	"Perceived usability evaluation of Microsoft Teams as an online learning platform during COVID- 19 using System Usability Scale and Technology Acceptance Model in India" - Children and Youth Services Review (2020)	212
3	Chien-wen Shen, Min Chen, Chiao- chen Wang [15]	"Analyzing the trend of O2O commerce by bilingual text mining on social media" - Computers in Human Behavior (2019)	157
4	Samer Zein, Norsaremah Salleh, John Grundy [16]	"A systematic mapping study of mobile application testing techniques" - Journal of Systems and Software (2016)	154
5	Shohin Aheleroff, Xun Xua, Ray Y. Zhong, Yuqian Lu [17]	"Digital Twin-as-a-Service (DTaaS) in Industry 4.0: An Architecture Reference Model" - Advanced Engineering Informatics (2021)	152
6	Aristea Kontogianni, Efthimios Alepis [18]	"Smart tourism: State of the art and literature review for the last six years" - Array (2020)	111
7	Md Rajibul Hasan, Ashish Kumar Jha, Yi Liu [19]	"Excessive use of online video streaming services: Impact of recommender system use, psychological factors, and motives" - Computers in Human Behavior (2018)	97
8	Mona Masood, Menaga Thigambaram [20]	"The Usability of mobile applications for pre-schoolers" - Procedia - Social and Behavioral Sciences (2015)	80
9	Md.Moniruzzaman, Seyednima Khezr, Abdulsalam Yassine, Rachid Benlamrib [11]	"Blockchain for smart homes: Review of current trends and research challenges" - Computers & Electrical Engineering (2020)	58
10	Christoph Rieger, Tim A. Majchrzak [21]	"Towards the definitive evaluation framework for cross-platform app development approaches" - Journal of Systems and Software (2019)	55



Fig. 1. Distribution of articles by years.

From this table, the most cited journal is Future Generation Computer Systems, followed by Computers in Human Behavior, Children and Youth Services Review, Journal of Systems and Software, and Advanced Engineering Informatics.



Fig. 2. Most Cited Publications on the Research Topic (Source: Own Elaboration using VOSviewer).

2.1. Word Co-Occurrence Cluster Analysis

The analysis was conducted using the VOSviewer software [22]. The criteria to use a co-occurrence cluster analysis was based on the title, abstract, and keywords. As a result, the most prominent subjects were "Usability" (15 occurrences), "User Experience" (14 occurrences), and "User Interface" (13 occurrences). This analysis is commonly used to find the link between subjects and keywords using the VOSviewer software text mining tool. Figure 3 presents an overview of the relationship between keywords as reflected by the number of publications published together [22-23].



Fig. 3. Word Co-occurrence Analysis (Source: Own elaboration using VOSviewer software)

The researchers completed their examination of the 97 articles by thoroughly examining the titles, abstracts, and keywords, as well as by perusing the complete articles. Studies failing to satisfy the inclusion criteria in this phase with respect to the keywords "Application," "User Experience," "User Interface," "Energy-Saving Home," and "Home/Smart Home/Home Energy" were excluded from consideration. Only five articles met the criteria, and they are presented in Table 4 with details on the research problem, aim, method, and results.

 Table 4. Related articles in the area of energy-saving homes

 and smart homes

Authors	Yea	Title	Problem	Aim	Method	Results
114411015	r		s			
Terence K.	201	Major	The	The	It	A new
L. Hui, R.	7	requirem	recent	objective	reviews	paradigm
Simon		ents for	boom of	is to	the	for
Sherratt,		building	the	create a	applicati	humans
Daniel		Smart	Internet	list of	on of	interactin
Díaz		Homes in	of Things	requirem	contemp	g with a
Sánchez		Smart	will turn	ent	orary	large
[8]		Cities	smart	recomme	Internet	number
		based on	cities and	ndations	of Things	of
		Internet	smart	for	technolo	invisible
		of Things	homes	building	gies for	computer
		technolo	from a	smart	building	s at home
		gies	hype into	home	smart	is a new
			a reality.	systems.	homes	and
					and	evolving
					classifies	topic.
					them	
					accordin	
					g to the	
					proposed	
					requirem	
					ents.	
Md.Moniru	202	Blockcha	Few	It	The main	Α
zzaman,	0	in for	researche	improves	contributi	feasible
Seyednima		smart	rs focus	the	ons of	prototype
Khezr,		homes:	on the	underlyin	this	was
Abdulsala		Review	large-	g	survey	develope
m Yassine,		of current	scale	informati	were	d by
Rachid		trends	adoption	on	intended	impleme
Benlamrib		and	of	technolo	to fill the	nting the
[11]		research	blockchai	gy	gap and	blockchai
		challenge	n-based	infrastruc	provide	n
		s	homecare	ture to	useful	platform
			systems.	ensure	insights,	for
				the	methods,	different
				transpare	and	smart
				ncy,	applicati	home
				security,	ons for	applicati
				and	smart	ons.
				privacy	homes.	
				of user		
				data.		

Authors	Vea	Title	Problem	Aim	Method	Results
Autions	r	THE	s	Aim	memou	Results
Abir	202	Older	Older	It	Conducte	Older
Ghorave	1	adults'	neonle	explores	d a focus	adults'
Roh	1	nersnecti	may have	older	groun	accentan
Comber		ves of	negative	neonle's	study	ce of
Rachae		smart	nercentio	views	involving	smart
lGooberma		home	ns of new	and	elderly	home
n-Hill		technolo	technolo	expectati	individua	technolo
[24]		gy: Δre	gy and	ons of	lici vicua	av
[27]		we	smart	smart	Particina	59 increased
		develoni	homes	home	nts tested	with time
		ng the	nomes.	technolo	SPHERE	and use
		technolo		gy	a smart	und use.
		gy that		57.	home	
		older			technolo	
		people			gv.	
		want?			Perceptio	
					ns of	
					participa	
					nts were	
					compare	
					d.	
Kristine	201	Evaluatin	With the	It	User	The
Mae P.	9	g on User	rise of	evaluates	satisfacti	mobile
Escanillan-		Experien	energy	the	on,	web
GaleraCeni		ce and	consumpt	EnerTrA	interface,	applicati
e M.		User	ion, the	pp	and	on
Vilela-		Interface	Philippin	mobile	usability	worked
Malabanan		of	e	web	were	as a tool
[10]		EnerTrA	governm	applicati	tested.	to help
		pp, a	ent	on user		reduce
		Mobile	released	interface.		energy
		Web	an			consumpt
		Energy	administr			ion.
		Monitori	ation to			
		ng	reduce			
		System	monthly			
			energy			
			consumpt			
			ion by at			
			least			
	001	.	10%.	T :	T 7	
Martin	201	Living	Increasin	It	Impleme	Automat
Kruusimag	7	with an	g energy	investigat	ntation of	ed home
1, Sarah		autonom	demands	es the	a semi-	systems
Sharples,		ous	exert	user	autonom	were
Darren		spatiotem	pressure	experienc	ous	uesigned
KODINSON		poral	0n	e of	spatiotem	with a
[9]		hooting	d anarra-	residing	poral	nocus on
		evetore	u energy	with an	hooting	user
		System:	ion	d hostin -	neating	experienc
		explorati	ion.	u neating	system.	e.
				system.	of a	
		avnorian -			on a	
		experienc			sinaripno	
		through a			control	

Authors	Yea	Title	Problem	Aim	Method	Results
	r		s			
		longitudi			applicati	
		nal			on for	
		technolo			users.	
		gy			Integratio	
		interventi			n with a	
		on-based			self-	
		mixed-			learning	
		methods			heating	
		approach			algorithm	
					•	

From researching these articles, three main issues are summarized [8-11, 24]:

• Professionals and non-experts do not understand the energy-saving home information presented.

• The mobile application disregards the user, particularly elderly and middle-aged individuals.

• The graphic communication (i.e., the image on the display of the application) is difficult to understand.

When encountering these issues, the next step is to search for research gaps to check whether there are related studies and opportunities for solutions in designing energy-saving home applications.

3. RESEARCH GAP



Fig. 4. The research gap of this study from the linkage of all three variables (Source: Re-searcher).

3.1. Search Results from a Pair of Variables Between Keywords "Application" and "User-Centered Design"

After reading carefully through the articles, researchers found that the two variables have several themes, but they are mostly related to:

- Health, disease, and treatment [25-29].
- UX and UI design [30-33].

It was found that these themes involve a lack of motivation, attractiveness, user interest enjoyment, participation of users apply at low, user-centric features and application performance of users. The issues were not about energy-saving home applications or smart homes.

For these problems, researchers suggest applying the UCD principle to understand user needs and UI design to increase interest in energy-saving home applications.

3.2. Search Results from a Pair of Variables Between Keywords "User-Centered Design" and "Energy Data"

The research findings indicate that the two variables exhibit common themes, including:

• The integration of electronic health (e-Health) and the public health system [34].

• Intelligent buildings, building information modeling, and building monitoring [35-38].

These themes point to an unfriendly design for users' daily lifestyles. There is also a low rate of using smart home technology due to the gap between functions and experience or user expectations. These are the main issues to be solved.

Thus, implementing User-Centered Design (UCD) processes, involving designers and users in application development, could provide a solution aligning with users' needs in energy-saving home applications.

3.3 Search results from a pair of variables between "Energy data" and "Application"

From the search results, it was found that the two variables have themes about

- Mobile health and palliative care [39-40].
- Smart home [41-45].

It was found that the problems arise from the limitation of communication between Individuals with occupations and age differences and today's smart homes are not connected and do not encourage human-building interaction. The design of smart home services must be responsive to diverse user needs and needs to be considered. User safety in smart home is the primary concern.

The aforementioned issues may be resolved by implementing user-centered design (UCD), user experience design (UX), and user interface (UI) to examine the obstacles encountered by users when utilizing smart home applications. This would improve usability and foster an emotional connection between the end user and an energyefficient home application.

Based on this research gap, it can be inferred that the majority of studies investigating the three variables in question are concentrated on health and smart homes, while there is a dearth of research examining the application of user-centered design (UCD) principles to energy datarelated applications. After researching the connection of these three variables, the problems are about a lack of motivation, enjoyment, friendliness, or adaptation to the user, as well as the limitations of interpersonal communication with heterogeneity, leads to diminished optimism stemming from the absence of user-centered design features that fail to cater to the diverse needs of users. Therefore, researchers suggest how to solve these through applying user experience design (UX), user interface (UI) and a user-centered design (UCD) model to solve and design a proper energy-saving home application.

4. UX AND UI DESIGN IN APPLICATION

The use of smartphones is steadily increasing over time. In addition, applications on smartphones are expected to increase in the future and result in the development of applications tailored to meet users' needs. [46]. Application user interfaces (UIs) are essential for displaying screen designs such as icons, colors, layout, and images. Additionally, UI optimization pertains to the overall user experience (UX) of the application [47].

User Experience (UX) encompasses the holistic sentiment that users encounter during their interactions with a given service, application, product, or system. It includes elements such as usability, relevance of displayed content, and ease of navigation. [48]. Don Norman supports that a good UX meets the needs of the user in the specific context that they use the product in Norman [49]. In contrast, Jonathan suggests that the UX process begins with identifying a problem and concludes with the development of an outline or prototype. [48].

However, designers should consider using the principles of why, what, and how, shown in Figure 5, to design the product [50-51], starting with a reason before deciding the beginning to last processes to create products that provide users with meaningful experiences. It must be ensured that the main concept of the product is still present and provides a fluid and smooth experience for users.



Fig. 5. Why, what, and how principle (Source: Research summary from Interaction Design Foundation).

User Interface (UI) involves the utilization of typography, imagery, and other visual design elements to transform a basic interface into something that is functional and easily comprehensible. UI refers to the systematic procedure of developing an aesthetically pleasing layout and graphical user interface, with the dual purpose of enhancing the product's usability and fostering an emotional bond with the end user. [52].

Mandel (1997) presents the UI design principles as follows: 1) place the user in control—the design should consider the needs of the user and leave them free to choose or interact with the system or control some operations; 2) To minimize the user's cognitive load—the system should be able to remember information that does not change often and remind users when they need to come back later; and 3) make the interface consistent—the dis-play should be provided with the same design standards across all screens.

The UX consists of a large number of UIs combined into a smooth process to create a product. First, when the UX design ends at the research stage, the layout is designed and applied to make the experience usable, attractive, and optimized for different screen sizes.

Table 5. Comparison of the differences between the UX and UI

UX designers	UI designers
 Focuses on interaction design Charts the user pathway Plans information architecture Expert in wireframes, prototypes, and research 	 Focuses on visual design Chooses color and typography Plans visual aesthetic Expert in mockups, graphics, and layouts

There are several case studies applying the concept of UX and UI into technology products that create good experiences and solve issues with an unfriendly interface for users. For example, Remote Patient Monitoring, a homebased monitoring system designed to assist patients with chronic conditions, is a good example of applying UX and UI. Pre-viously, it was too complex and had poor selfmanagement and an unclear UI. After applying UX and UI testing with users, the system became easier to use, simpler, and more effectively designed [53].

BIFURCAID: An educational mobile application [54], was applied with UX and UI to simplify and teach complex coronary bifurcation intervention through interactive illustrations.

In cases of virtual museums, the concepts of UX and UI design could be applied with users' preferences and personalization because huge amounts of information cause confusion for users. The Mobile Five Senses Augmented Reality System for Museums project came out with an augmented reality mobile application system that adopted UX and UI to organize loads of works at museums into a simple menu that is more attractive and matches with users' interests and preferences [55].

UX can be defined succinctly as the process of designing and delivering user experiences that are intuitive, simple to use, and conducive to generating positive emotions among users. User interfaces link design principles together, including placement, image, button, and font size. In light of the aforementioned issues (confusing interfaces and unwelcoming experiences), scholars propose that these design factors be implemented in order to enhance energyefficient home applications.

5. APPLICATION DEVELOPMENT BASED ON UCD PRINCIPLES

Established in 1986 by Norman and Draper, UCD emphasizes the significance of user needs comprehension throughout the entire design lifecycle, encompassing services and products. Users should be prioritized and positioned as the focal point of the design process [49].

UCD is an iterative, purposeful procedure for creating a usable system. By incorporating potential system users into the design process, this is accomplished. [55]. In addition, the design team conducts user research using various techniques and approaches in order to develop a service or product that is exceptionally accessible and user-friendly [55-56].

Prior to beginning the design process, it is crucial to comprehend the context of use. As illustrated in Figure 6, defining the requirements of the users generates solutions for design and evaluation issues that can be iterated at each stage of the process in order to achieve the optimal UX.



Fig. 6. UCD process (Source: Interaction Design Foundation)

Examples of applying UCD in technology products include Learn to Quit, a smoking cessation application that adopted a variety of UCD methods, the design process incorporates various methodologies, including expert panel guidance, theory-based smoking cessation content, persona development, paper prototyping, and usability testing of the app prototype. These techniques of UCD can result in a good structure and layout designed to minimize usability errors of users [57].

Next, the TiM system, a telehealth service monitoring neuron disease, uses a user-centered co-design approach to collaborate with patients, caregivers, clinicians, and app developers to meet the needs of users [58].

Regarding education, the Program Tutoring System provides interactive content and personalization to support users engaged in learning complex cognitive skills [59].

6. CONCLUSION

This review article collected a total of 515 publications from the ScienceDirect data-base from 2013–2022 and narrowed them down to 97 articles were selected using the inclusion and exclusion criteria outlined in Section 2. (Method). From the studies, the main issues with energy-saving home applications are: 1. Experts and non-experts do not understand the energysaving home information presented - Because the home energy calculation's information is too specialized and detailed to understand, not for general users. (suggestion: apply UX design).

2. The mobile application does not consider the user, especially those who are middle-aged and elderly - Because the mobile application companies mostly focus on the young and new generation, not considered elderly people as a target group. (suggestion: apply UX and UCD).

3. The graphic communication (i.e., the image on the application's display) is difficult to understand - Because it wasn't tested and researched how users use applications. (suggestion: apply UX and UI design).

Next, this review article was conducted by searching for research gaps. Researchers set up and researched from a pair of keywords to present research gaps in Figure 4 and opportunities for solutions in energy-saving home applications with UX, UI, and UCD principles by searching three variables: "Application," "UCD," and "Energy Data." However, from the research gap section, there is no direct study on this topic, meaning there is an opportunity for innovation.

Therefore, from the three main problems and research opportunities mentioned above, researchers suggest the guideline in Figure 7. Prior to anything else, designers ought to implement UCD principles, given that iterative processes encompass a spectrum of activities including identifying user needs, comprehending the usage context, resolving design issues, evaluating progress, and repeating stages. Following this, they should implement UX design to establish why, what, and how inquiries regarding the use of energy-saving home applications in order to provide users with meaningful and seamless experiences. In order to improve the product's usability and desirability, the application should ultimately implement a UI design that 1) empowers the user, 2) minimizes the effort required for user recognition, and 3) establishes a unified interface. This process should result in an aesthetically pleasing UI.

Overall, through a systematic literature review, this review article contributes new knowledge on designing energy-saving home applications to be more usable, accessible, understandable, and desirable for each group of users. As a result, a guideline for creating energy-saving home applications is presented and recommended. Designers should apply UCD to place users in each stage of the design process, adopting UX design to present smooth experiences and UI design to attract users with interesting and desirable interfaces. This section is not mandatory but can be included to provide information about any patents resulting from the work reported in the manuscript.

ACKNOWLEDGEMENTS

This research was supported by School of Architecture, Art, and Design, KMITL.



Fig. 7. A guideline for creating energy-saving home applications.

REFERENCES

- Aldrich, F. K. (2020). Smart Homes: Past, Present and Future. Inside the Smart Home, 17–39. https://doi.org/ 10.1007/1-85233-854-7_2
- [2] Balta-Ozkan, N., Boteler, B., & Amerighi, O. (2014). European smart home market development: Public views on technical and economic aspects across the United Kingdom, Germany and Italy. Energy Research & Social Science, 3, 65–77. https://doi.org/10.1016/j.erss.2014.07.007
- [3] Fakhar, M. Z., Yalcin, E., & Bilge, A. (2022). A survey of smart home energy conservation techniques. Expert Systems with Applications, 118974. https://doi.org/10.1016/j.eswa. 2022.118974
- [4] Li, M., Allinson, D., & He, M. (2018). Seasonal variation in household electricity demand: A comparison of monitored and synthetic daily load profiles. Energy and Buildings, 179, 292–300. https://doi.org/10.1016/j.enbuild.2018.09.018
- [5] Sardianos, C., Chronis, C., Varlamis, I., Dimitrakopoulos, G., Himeur, Y., Alsalemi, A., Bensaali, F., & Amira, A. (2020, November 1). Real-time personalised energy saving recommendations. IEEE Xplore. https://doi.org/10.1109/ iThings-GreenCom-CPSCom-SmartData-Cybermatics50389.2020.00072
- [6] Hafeez, G., Wadud, Z., Khan, I. U., Khan, I., Shafiq, Z., Usman, M., & Khan, M. U. A. (2020). Efficient Energy Management of IoT-Enabled Smart Homes Under Price-Based Demand Response Program in Smart Grid. Sensors, 20(11), 3155. https://doi.org/10.3390/s20113155
- [7] Javaid, N., Ahmed, A., Iqbal, S., & Ashraf, M. (2018). Day Ahead Real Time Pricing and Critical Peak Pricing Based Power Scheduling for Smart Homes with Different Duty Cycles. Energies, 11(6), 1464. https://doi.org/10.3390/ en11061464
- [8] Hui, T. K. L., Sherratt, R. S., & Sánchez, D. D. (2017). Major requirements for building Smart Homes in Smart Cities based on Internet of Things technologies. Future Generation Computer Systems, 76, 358–369. https://doi.org/10.1016/ j.future.2016.10.026
- [9] Kruusimagi, M., Sharples, S., & Robinson, D. (2017). Living with an autonomous spatiotemporal home heating system: Exploration of the user experiences (UX) through a longitudinal technology intervention-based mixed-methods approach. Applied Ergonomics, 65, 286–308. https://doi.org/ 10.1016/j.apergo.2017.06.017
- [10] Escanillan-Galera, K. M. P., & Vilela-Malabanan, C. M. (2019). Evaluating on User Experience and User Interface (UX/UI) of EnerTrApp a Mobile Web Energy Monitoring System. Procedia Computer Science, 161, 1225–1232. https://doi.org/10.1016/j.procs.2019.11.236
- [11] Moniruzzaman, Md., Khezr, S., Yassine, A., & Benlamri, R. (2020). Blockchain for smart homes: Review of current trends and research challenges. Computers & Electrical Engineering, 83, 106585. https://doi.org/10.1016/j. compeleceng.2020.106585
- [12] Rungroj Wongmahasiri, et al, (2018), Study Project to prepare energy efficiency benchmarks for residential homes, Department of the Energy Development and Promotion & School of Architecture, Art, and Design (KMITL).
- [13] Liberati, A., Altman, D. G., Tetzlaff, J., Mulrow, C., Gøtzsche, P. C., Ioannidis, J. P. A., Clarke, M., Devereaux, P. J., Kleijnen, J., & Moher, D. (2009). The PRISMA

statement for reporting systematic reviews and metaanalyses of studies that evaluate health care interventions: explanation and elaboration. Journal of Clinical Epidemiology, 62(10), e1–e34. https://doi.org/10.1016/ j.jclinepi.2009.06.006

- [14] Pal, D., & Vanijja, V. (2020). Perceived usability evaluation of Microsoft Teams as an online learning platform during COVID-19 using system usability scale and technology acceptance model in India. Children and Youth Services Review, 119(1), 105535. https://doi.org/10.1016/ j.childyouth.2020.105535
- [15] Shen, C., Min Chen, & Wang, C. (2019). Analyzing the trend of O2O commerce by bilingual text mining on social media. Computers in Human Behavior, 101, 474–483. https://doi. org/10.1016/j.chb.2018.09.031
- [16] Zein, S., Salleh, N., & Grundy, J. (2016). A systematic mapping study of mobile application testing techniques. Journal of Systems and Software, 117, 334–356. https://doi.org/10.1016/j.jss.2016.03.065
- [17] Aheleroff, S., Xu, X., Zhong, R. Y., & Lu, Y. (2021). Digital Twin as a Service (DTaaS) in Industry 4.0: An Architecture Reference Model. Advanced Engineering Informatics, 47, 101225. https://doi.org/10.1016/j.aei.2020.101225
- [18] Kontogianni, A., & Alepis, E. (2020). Smart tourism: State of the art and literature review for the last six years. Array, 6, 100020. https://doi.org/10.1016/j.array.2020.100020
- [19] Hasan, M. R., Jha, A. K., & Liu, Y. (2018). Excessive use of online video streaming services: Impact of recommender system use, psychological factors, and motives. Computers in Human Behavior, 80, 220–228. https://doi.org/ 10.1016/j.chb.2017.11.020
- [20] Masood, M., & Thigambaram, M. (2015). The Usability of Mobile Applications for Pre-schoolers. Procedia - Social and Behavioral Sciences, 197, 1818–1826. https://doi.org/ 10.1016/j.sbspro.2015.07.241
- [21] Rieger, C., & Majchrzak, T. A. (2019). Towards the definitive evaluation framework for cross-platform app development approaches. Journal of Systems and Software, 153, 175–199. https://doi.org/10.1016/j.jss.2019.04.001
- [22] van Eck, N. J., & Waltman, L. (2009). Software survey: VOSviewer, a computer program for bibliometric mapping. Scientometrics, 84(2), 523–538. https://doi.org/10.1007/ s11192-009-0146-3
- [23] Culnan, M. J., O'Reilly, C. A., & Chatman, J. A. (1990). Intellectual structure of research in organizational behavior, 1972–1984: A cocitation analysis. Journal of the American Society for Information Science, 41(6), 453–458. https://ideas.repec.org/a/bla/jamest/v41y1990i6p453-458.html
- [24] Ghorayeb, A., Comber, R., & Gooberman-Hill, R. (2021). Older adults' perspectives of smart home technology: Are we developing the technology that older people want? International Journal of Human-Computer Studies, 147, 102571. https://doi.org/10.1016/j.ijhcs.2020.102571
- [25] Carr, E. C., Babione, J. N., & Marshall, D. (2017). Translating research into practice through user-centered design: An application for osteoarthritis healthcare planning. International Journal of Medical Informatics, 104, 31–37. https://doi.org/10.1016/j.ijmedinf.2017.05.007
- [26] Georgsson, M., Staggers, N., Årsand, E., & Kushniruk, A. (2019). Employing a user-centered cognitive walkthrough to

evaluate a mHealth diabetes self-management application: A case study and beginning method validation. Journal of Biomedical Informatics, 91, 103110. https://doi.org/10.1016/j.jbi.2019.103110

- [27] Marien, S., Legrand, D., Ramdoyal, R., Nsenga, J., Ospina, G., Ramon, V., & Spinewine, A. (2019). A User-Centered design and usability testing of a web-based medication reconciliation application integrated in an eHealth network. International Journal of Medical Informatics, 126, 138–146. https://doi.org/10.1016/j.ijmedinf.2019.03.013
- [28] Emine Cosar, Anjani Kumar Singh, Obumneme Njeze, Zheng, K., & Jariwala, S. (2020). Conducting Patient and Provider Participatory Design Sessions to Create a User-Centered Mobile Application for Adults with Asthma. https://doi.org/10.1016/j.jaci.2019.12.233
- [29] Flood, M., Ennis, M., Ludlow, A., Sweeney, F. F., Holton, A., Morgan, S., Clarke, C., Carroll, P., Mellon, L., Boland, F., Mohamed, S., De Brún, A., Hanratty, M., & Moriarty, F. (2021). Research methods from human-centered design: Potential applications in pharmacy and health services research. Research in Social and Administrative Pharmacy, 17(12), 2036–2043. https://doi.org/10.1016/j.sapharm.2021. 06.015
- [30] Manghisi, V. M., Uva, A. E., Fiorentino, M., Gattullo, M., Boccaccio, A., & Monno, G. (2018). Enhancing user engagement through the user centric design of a mid-air gesture-based interface for the navigation of virtual-tours in cultural heritage expositions. Journal of Cultural Heritage, 32, 186–197. https://doi.org/10.1016/j.culher.2018.02.014
- [31] Llema, C. F., & Vilela-Malabanan, C. M. (2019). Design and Development of MLERWS: A User-Centered Mobile Application for English Reading and Writing Skills. Procedia Computer Science, 161, 1002–1010. https://doi.org/10.1016/ j.procs.2019.11.210
- [32] Garcia-Font, V. (2020). SocialBlock: An architecture for decentralized user-centric data management applications for communications in smart cities. Journal of Parallel and Distributed Computing, 145, 13–23. https://doi.org/ 10.1016/j.jpdc.2020.06.004
- [33] Frederico, C. S., Pereira, A. L. S., Marte, C. L., & Yoshioka, L. R. (2021). Mobile application for bus operations controlled by passengers: A user experience design project (UX). Case Studies on Transport Policy, 9(1), 172–180. https://doi.org/10.1016/j.cstp.2020.11.014
- [34] Calvillo-Arbizu, J., Roa-Romero, L. M., Estudillo-Valderrama, M. A., Salgueira-Lazo, M., Aresté-Fosalba, N., del-Castillo-Rodríguez, N. L., González-Cabrera, F., Marrero-Robayna, S., López-de-la-Manzana, V., & Román-Martínez, I. (2019). User-centred design for developing e-Health system for renal patients at home (AppNephro). International Journal of Medical Informatics, 125, 47–54. https://doi.org/10.1016/j.ijmedinf.2019.02.007
- [35] Ji, W., & Chan, E. H. W. (2020). Between users, functions, and evaluations: Exploring the social acceptance of smart energy homes in China. Energy Research & Social Science, 69, 101637. https://doi.org/10.1016/j.erss.2020.101637
- [36] Guerra Santin, O., Grave, A., Jiang, S., Tweed, C., & Mohammadi, M. (2021). Monitoring the performance of a Passivhaus care home: Lessons for user-centric design. Journal of Building Engineering, 43, 102565. https://doi.org/ 10.1016/j.jobe.2021.102565

- [37] Stopps, H., Huchuk, B., Touchie, M. F., & O'Brien, W. (2020). Is anyone home? A critical review of occupantcentric smart HVAC controls implementations in residential buildings. Building and Environment, 107369. https://doi. org/10.1016/j.buildenv.2020.107369
- [38] Salehabadi, Z. M., & Ruparathna, R. (2022). User-centric sustainability assessment of single family detached homes (SFDH): A BIM-based methodological framework. Journal of Building Engineering, 50, 104139. https://doi.org/ 10.1016/j.jobe.2022.104139
- [39] Hamm, J., Money, A., & Atwal, A. (2019). Guidetomeasure-OT: A mobile 3D application to improve the accuracy, consistency, and efficiency of clinician-led home-based falls-risk assessments. International Journal of Medical Informatics, 129, 349–365. https://doi.org/10.1016/j. ijmedinf.2019.07.004
- [40] Harding, R., Carrasco, J. M., Serrano-Pons, J., Lemaire, J., Namisango, E., Luyirika, E., Immanuel, T., Paleri, A. K., Mathews, L., Chifamba, D., Mupaza, L., Martínez, C. L., Zirimenya, L., Bouësseau, M.-C., & Krakauer, E. L. (2021). Design and Evaluation of a Novel Mobile Phone Application to Improve Palliative Home-Care in Resource-Limited Settings. Journal of Pain and Symptom Management, 62(1), 1–9. https://doi.org/10.1016/j.jpainsymman.2020.09.045
- [41] Al-Ali, A. R., Zualkernan, I. A., Rashid, M., Gupta, R., & Alikarar, M. (2017). A smart home energy management system using IoT and big data analytics approach. IEEE Transactions on Consumer Electronics, 63(4), 426–434. https://doi.org/10.1109/tce.2017.015014
- [42] Sultan, M., & Ahmed, K. N. (2017, July 1). SLASH: Selflearning and adaptive smart home framework by integrating IoT with big data analytics. IEEE Xplore. https://doi.org/10.1109/SAI.2017.8252147
- [43] Challa, M. L., & Soujanya, K. L. S. (2021). Secured smart mobile app for smart home environment. Materials Today: Proceedings, 37, 2109–2113. https://doi.org/10.1016/j. matpr.2020.07.536
- [44] Georgia, D., Evangelia, F., Georgios, C., Christos, M., & Thomas, K. (2021). Evaluation of end user requirements for Smart Home applications and services based on a decision support system. Internet of Things, 100431. https://doi.org/ 10.1016/j.iot.2021.100431
- [45] Alkatheiri, M. S., Chauhdary, S. H., & Alqarni, M. A. (2021). Seamless security apprise method for improving the reliability of sustainable energy-based smart home applications. Sustainable Energy Technologies and Assessments, 45, 101219. https://doi.org/10.1016/j.seta. 2021.101219
- [46] Paul H. Müller co-founded Adjust. Mobile apptrends 2021. Available online: https://a.storyblok.com/f/47007/x/ fce2c4b0a6/210518_apptrends2021_ebook_v09_en_thversion.pdf. (accessed on 8 August 2022).
- [47] Tidwell, J. (2010). Designing Interfaces. "O'Reilly Media, Inc."
- [48] Jonathan Widawski. What is UX design? Available online: https://maze.co/blog/ui-vs-ux/#what-is-ux-design.(accessed on 12 June 2022)
- [49] Norman, D. A., & Draper, S. W. (2017). User centered system design: new perspectives on human-computer interaction. Boca Raton; London; New York CRC Press. https://dl.acm.org/citation.cfm?id=576915

- [50] Interaction Design Foundation. (2021). KISS (Keep it Simple, Stupid). Available online: https://www.interactiondesign.org/literature/article/kiss-keep-it-simple-stupid-adesign-principle. (accessed on 12 June 2022)
- [51] Interaction Design Foundation. (2022). Design Principles. Available online: https://www.interaction-design.org/ literature/topics/design-principles. (accessed on 12 June 2022)
- [52] Jonathan Widawski. (2020). What is UI design. Available online: https://maze.co/blog/ui-vs-ux/#what-is-ux-design. (accessed on 12 June 2022)
- [53] Kascak, L., Rébola, C. B., Braunstein, R., & Sanford, J. (2013, September 1). Mobile Application Concept Development for Remote Patient Monitoring. IEEE Xplore. https://doi.org/10.1109/ICHI.2013.85
- [54] Bhatheja, S., Fuster, V., Chamaria, S., Kakkar, S., & Zlatopolsky, R. (2018). Developing a Mobile Application for Global Cardiovascular Education. Journal of the American College of Cardiology, 72(20), 2518–2527. https://doi.org/10.1016/j.jacc.2018.08.2183
- [55] Margarita Morales Rodriguez, Casper, G. R., & Patricia Flatley Brennan. (2007). Patient-centered design. The potential of user-centered design in personal health records.

Journal of AHIMA, 78(4), 44-50.

- [56] Ritter, F. E., Baxter, G. D., & Churchill, E. F. (2014). Foundations for Designing User-Centered Systems. Springer London. https://doi.org/10.1007/978-1-4471-5134-0
- [57] Vilardaga, R., Rizo, J., Zeng, E., Kientz, J. A., Ries, R., Otis, C., & Hernandez, K. (2018). User-Centered Design of Learn to Quit, a Smoking Cessation Smartphone App for People with Serious Mental Illness. JMIR Serious Games, 6(1), e2. https://doi.org/10.2196/games.8881
- [58] Hobson, E. V., Baird, W. O., Partridge, R., Cooper, C. L., Mawson, S., Quinn, A., Shaw, P. J., Walsh, T., Wolstenholme, D., & Mcdermott, C. J. (2018). The TiM system: developing a novel telehealth service to improve access to specialist care in motor neurone disease using usercentered design. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 19(5-6), 351–361. https://doi.org/10.1080/21678421.2018.1440408
- [59] Vesin, B., Mangaroska, K., & Giannakos, M. (2018). Learning in smart environments: user-centered design and analytics of an adaptive learning system. Smart Learning Environments, 5(1). https://doi.org/10.1186/s40561-018-0071-0